Go to Google Home   **Web**   Images   Video^{New!}   News   Maps   **more »**

"GUI", "cofirmation panel", "confirmation displa   Search   Advanced Search
Preferences

Web

Tip: Try removing quotes from your search to get more results.

Your search - **"GUI", "cofirmation panel", "confirmation display",
"confirmation screen", "confirmation windon", copy, source, target** -
did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Go to Google Home   **Web**   Images   Video^{New!}   News   Maps   **more »**

| "GUI", "cofirmation panel", copy, swap, source | Search | Advanced Search Preferences |

Web

Did you mean: "GUI", "**_confirmation_** panel", copy, swap, source, target

No standard web pages containing all your search terms were found.

Your search - **"GUI", "cofirmation panel", copy, swap, source, target** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

Go to Google Home

Web   Images   Video^{New!}   News   Maps   **more »**

"GUI", "confirmation display", copy, swap, sou | Search | Advanced Search
Preferences

Web Results **1** - **10** of about **19** for **"GUI"**, **"confirmation display"**, **copy**, **swap**, **source**, **target**. (**0.24** second;

Did you mean: "GUI", "*information* display", copy, swap, source, target

/usr/doc/netsaint-plugins-radius/changelog.Debian.gz
netsaint-plugins (1.2.9.4-18.1) unstable; urgency=medium * Non-maintainer upload. * Build-
depend on postgresql-dev (>= 7.2-3) for libpgsql2 transition ..:
www.adlp.org/cgi-bin/dwww?type=file&location=/usr/doc/netsaint-plugins-
radius/changelog.Debian.gz - 13k - Supplemental Result - Cached - Similar pages

[PDF] PRIMERGY BladeFrame BF400 S2 Command Reference
File Format: PDF/Adobe Acrobat - View as HTML
The name of a field or window element appearing in a **GUI**. ... This book is shipped
separately as hard **copy** with each. BladeFrame. ...
manuals.fujitsu-siemens.com/serverbooks/content/manuals/english/bladeframe/bf400s2-
commands-e.pdf - Supplemental Result - Similar pages

[PDF] Implementing Linux on on Integrated xSeries s Solutions for iSeries
File Format: PDF/Adobe Acrobat
source and **target** storage spaces can be in different auxiliary storage pools (ASPs). It is
important to understand that the **copy** is performed at a bit level ...
www.redbooks.ibm.com/redbooks/pdfs/sg246379.pdf - Similar pages

[PDF] A guide to implementing FC disk and tape with iSeries
File Format: PDF/Adobe Acrobat
and LUN for **source** and **target** hosts. The display changes to show only hosts in the ... You
see the Enable Remote Load **Source** Mirroring **confirmation display** ...
www.redbooks.ibm.com/redpieces/pdfs/sg246220.pdf - Similar pages
[More results from www.redbooks.ibm.com]

[PDF] System i and System p: Service provider information Reference ...
File Format: PDF/Adobe Acrobat - View as HTML
confirmation display appears. If a mirror-protected load-**source** disk ... To manage the
server's firmware and microcode levels using the HMC **GUI**, see HMC ...
publib.boulder.ibm.com/infocenter/eserver/v1r3s/topic/iphau/iphaureference.pdf -
Similar pages

[PDF] Service provider information Reference information
File Format: PDF/Adobe Acrobat - View as HTML
performing the Recover the remote load **source** procedure (see "**Copy** the ... To manage
the server's firmware and microcode levels using the HMC **GUI**, see HMC ...
publib.boulder.ibm.com/infocenter/iseries/v1r2s/en_US/info/iphau/iphaureference.pdf -
Similar pages

[PDF] Cribbage
File Format: PDF/Adobe Acrobat - View as HTML
If you do not select the **confirmation display** preference, you may see the detail of ...
Select this menu option if you wish to **swap** cards with the Opponent. ...
www.bufton.org/meggiesoft/cribbage.pdf - Similar pages

[PDF] InteliNAS
File Format: PDF/Adobe Acrobat

the **source**-end operator must identify a Remote Host NAS and allow it as a **target**.
Replication – A feature that allows one NAS to **copy** a replication-enabled ...
tandbergdatacorp.com/support/Manual52.pdf - <u>Similar pages</u>

[PDF] <u>Developing e-business Applications</u>
File Format: PDF/Adobe Acrobat
request to the specified **target** Domino server, and the local Domino security ... The
certificate **source** can be either a file or the **copy** placed in the ...
www-900.ibm.com/cn/support/library/as400/download/dominoapp-e.pdf - <u>Similar pages</u>

<u>phplist Issue Tracker</u>
I feel there is no need for hard-coding the protocol into the **source**, as php should have
access to all the needed server-variables. Therefore, the **target** ...
mantis.phplist.com/print_all_bug_page_excel.php?
search=&sort=&dir=DESC&type_page=html&exp... - <u>Similar pages</u>

Did you mean to search for: <u>"GUI", "**information** display", copy, swap, source, target</u>

Result Page: 1 <u>2</u>   **Next**

Free! Speed up the web. <u>Download the Google Web Accelerator.</u>

| "GUI", "confirmation display", copy, ‹ | **Search** |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

P❂RTAL

USPTO

+copy, +"storage volum", swap, source, target, +"select subs}   **SEARCH**

Nothing Found

Your search for **+copy, +"storage volum", swap, source, target, +"select subsystem"
"cofirmation panel", "confirmation display", "confirmation screen", "confirmation
windon"** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

  You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or
  products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a
  page.

      museum +art

- Exclude pages by using a - if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better
your description of the information you want, the more relevant your
results will be.

      museum +"natural history" dinosaur -Chicago

P🌀RTAL

USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

+copy, +"storage volum", swap, source, target "cofirmation pa   **SEARCH**

THE ACM DIGITAL LIBRARY

🏴 Feedback Report a problem Satisfaction survey

Terms used **copy** **storage** **volum** **swap** **source** **target** **cofirmation** **panel** **confirmation** **display** **confirmation** **screen** **confirmation** **windon**

Found **22** of **186,844**

Sort results by	relevance ▼
Display results	expanded form ▼

🔖 Save results to a Binder

❓ Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 22   Result page: **1**   2   next

Relevance scale ☐ ▱ ▰ ■ ■

1 Call graph prefetching for database applications   ☐

Murali Annavaram, Jignesh M. Patel, Edward S. Davidson
November 2003 **ACM Transactions on Computer Systems (TOCS)**, Volume 21 Issue 4

Publisher: ACM Press

Full text available: 📄 pdf(701.71 KB)   Additional Information: full citation, abstract, references, index terms

With the continuing technological trend of ever cheaper and larger memory, most data sets in database servers will soon be able to reside in main memory. In this configuration, the performance bottleneck is likely to be the gap between the processing speed of the CPU and the memory access latency. Previous work has shown that database applications have large instruction and data footprints and hence do not use processor caches effectively. In this paper, we propose Call Graph Prefetching (CGP), ...

Keywords: Instruction cache prefetching, call graph, database

2 TRAP-Array: A Disk Array Architecture Providing Timely Recovery to Any Point-in-time   ☐

Qing Yang, Weijun Xiao, Jin Ren
May 2006 **ACM SIGARCH Computer Architecture News , Proceedings of the 33rd annual international symposium on Computer Architecture ISCA '06**, Volume 34 Issue 2

Publisher: IEEE Computer Society, ACM Press

Full text available: 📄 pdf(379.07 KB)   Additional Information: full citation, abstract, index terms

RAID architectures have been used for more than two decades to recover data upon disk failures. Disk failure is just one of the many causes of damaged data. Data can be damaged by virus attacks, user errors, defective software/firmware, hardware faults, and site failures. The risk of these types of data damage is far greater than disk failure with today's mature disk technology and networked information services. It has therefore become increasingly important for today's disk array to be able to ...

3 Pilot: an operating system for a personal computer   ☐

David D. Redell, Yogen K. Dalal, Thomas R. Horsley, Hugh C. Lauer, William C. Lynch, Paul R. McJones, Hal G. Murray, Stephen C. Purcell
February 1980 **Communications of the ACM**, Volume 23 Issue 2

Publisher: ACM Press
Full text available: pdf(1.14 MB)   Additional Information: full citation, references, citings

Keywords: file, high-level language, modular programming, network, operating system, personal computer, process, system structure, virtual memory

4 Interposed request routing for scalable network storage

February 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 1
Publisher: ACM Press

Full text available: pdf(363.12 KB)   Additional Information: full citation, abstract, references, citings, index terms, review

This paper explores interposed request routing in Slice, a new storage system architecture for high-speed networks incorporating network-attached block storage. Slice interposes a request switching filter---called a µproxy---along each client's network path to the storage service (e.g., in a network adapter or switch). The µproxy intercepts request traffic and distributes it across a server ensemble. We propose request routing schemes for I/O and file service traffic, and explore th ...

Keywords: Content switch, file server, network file system, network storage, request redirection, service virtualization

5 Trustworthy 100-year digital objects: Evidence after every witness is dead

Henry M. Gladney
July 2004 **ACM Transactions on Information Systems (TOIS)**, Volume 22 Issue 3
Publisher: ACM Press
Full text available: pdf(1.24 MB)   Additional Information: full citation, abstract, references, index terms

In ancient times, wax seals impressed with signet rings were affixed to documents as evidence of their authenticity. A digital counterpart is a message authentication code fixed firmly to each important document. If a digital object is sealed together with its own audit trail, each user can examine this evidence to decide whether to trust the content---no matter how distant this user is in time, space, and social affiliation from the document's source.We propose an architecture and design that a ...

6 Summary of current work ANSI/X3/SPARC/study group: database systems

Charles W. Bachman
July 1974 **ACM SIGMOD Record**, Volume 6 Issue 3
Publisher: ACM Press
Full text available: pdf(1.49 MB)   Additional Information: full citation, citings

7 Steganography I: Statistical characterisation of MP3 encoders for steganalysis

Rainer Böhme, Andreas Westfeld
September 2004 **Proceedings of the 2004 workshop on Multimedia and security MM&Sec '04**
Publisher: ACM Press
Full text available: pdf(254.36 KB)   Additional Information: full citation, abstract, references, index terms

This paper outlines a strategy to discriminate different ISO/MPEG 1 Audio Layer-3 (MP3) encoding programs by statistical particularities of the compressed audio streams. We use Bayesian logic to deduce the most probable encoder on the basis of a feature vector that

can be extracted from arbitrary MP3 files. All appropriate features used for the classification are discussed and example results for sets of test data from 20 different codecs are given. Possible applications include advances in info ...

Keywords: MP3 encoder classification, digital forensics, steganalysis

8 A survey and analysis of Electronic Healthcare Record standards

Marco Eichelberg, Thomas Aden, Jörg Riesmeier, Asuman Dogac, Gokce B. Laleci
December 2005 **ACM Computing Surveys (CSUR)**, Volume 37 Issue 4
Publisher: ACM Press
Full text available: pdf(844.11 KB)   Additional Information: full citation, abstract, references, index terms

Medical information systems today store clinical information about patients in all kinds of proprietary formats. To address the resulting interoperability problems, several Electronic Healthcare Record standards that structure the clinical content for the purpose of exchange are currently under development. In this article, we present a survey of the most relevant Electronic Healthcare Record standards, examine the level of interoperability they provide, and assess their functionality in terms o ...

Keywords: Electronic Healthcare Record standards, eHealth, interoperability

9 Improving storage system availability with D-GRAID

Muthian Sivathanu, Vijayan Prabhakaran, Andrea C. Arpaci-Dusseau, Remzi H. Arpaci-Dusseau
May 2005 **ACM Transactions on Storage (TOS)**, Volume 1 Issue 2
Publisher: ACM Press
Full text available: pdf(700.30 KB)   Additional Information: full citation, abstract, references, index terms

We present the design, implementation, and evaluation of D-GRAID, a gracefully degrading and quickly recovering RAID storage array. D-GRAID ensures that most files within the file system remain available even when an unexpectedly high number of faults occur. D-GRAID achieves high availability through aggressive replication of semantically critical data, and fault-isolated placement of logically related data. D-GRAID also recovers from failures quickly, restoring only live file system data to a h ...

Keywords: Block-based storage, Disk array, RAID, fault isolation, file systems, smart disks

10 Building a scaleable geo-spatial DBMS: technology, implementation, and evaluation

Jignesh Patel, JieBing Yu, Navin Kabra, Kristin Tufte, Biswadeep Nag, Josef Burger, Nancy Hall, Karthikeyan Ramasamy, Roger Lueder, Curt Ellmann, Jim Kupsch, Shelly Guo, Johan Larson, David De Witt, Jeffrey Naughton
June 1997 **ACM SIGMOD Record , Proceedings of the 1997 ACM SIGMOD international conference on Management of data SIGMOD '97**, Volume 26 Issue 2
Publisher: ACM Press
Full text available: pdf(1.58 MB)   Additional Information: full citation, abstract, references, citings, index terms

This paper presents a number of new techniques for parallelizing geo-spatial database systems and discusses their implementation in the Paradise object-relational database system. The effectiveness of these techniques is demonstrated using a variety of complex geo-spatial queries over a 120 GB global geo-spatial data set.

11 Brave new topics 3: advanced methods for medical image retrieval & applications:

Data grid for large-scale medical image archive and analysis

H. K. Huang, Aifeng Zhang, Brent Liu, Zheng Zhou, Jorge Documet, Nelson King, L. W. C. Chan

November 2005 **Proceedings of the 13th annual ACM international conference on Multimedia MULTIMEDIA '05**

Publisher: ACM Press

Full text available: pdf(2.03 MB)   Additional Information: full citation, abstract, references, index terms

Storage and retrieval technology for large-scale medical image systems has matured significantly during the past ten years but many implementations still lack cost-effective backup and recovery solutions. As an example, a PACS (Picture Archiving and Communication system) in a general medical center requires about 40 Terabytes of storage capacity for seven years. Despite many healthcare centers are relying on PACS for 24/7 clinical operation, current PACS lacks affordable fault-tolerance storage ...

Keywords: PACS, bone age assessment of children, computational services, data grid, fault-tolerance archive, grid computing, image analysis, image data mining

12 The high performance storage system

R. A. Coyne, H. Hulen, R. Watson

December 1993 **Proceedings of the 1993 ACM/IEEE conference on Supercomputing**

Publisher: ACM Press

Full text available: pdf(1.05 MB)   Additional Information: full citation, references, citings, index terms

13 Integrated document caching and prefetching in storage hierarchies based on Markov-chain predictions

Achim Kraiss, Gerhard Weikum

August 1998 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 7 Issue 3

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(603.01 KB)   Additional Information: full citation, abstract, citings, index terms

Large multimedia document archives may hold a major fraction of their data in tertiary storage libraries for cost reasons. This paper develops an integrated approach to the vertical data migration between the tertiary, secondary, and primary storage in that it reconciles speculative prefetching, to mask the high latency of the tertiary storage, with the replacement policy of the document caches at the secondary and primary storage level, and also considers the interaction of these policies with ...

Keywords: Caching, Markov chains, Performance, Prefetching, Scheduling, Stochastic modeling, Tertiary storage

14 Innovation, management & strategy: Managing email usage: a cross case analysis of experiences with electronic monitoring and control

Aidan Duane, Patrick Finnegan

March 2004 **Proceedings of the 6th international conference on Electronic commerce ICEC '04**

Publisher: ACM Press

Full text available: pdf(328.95 KB)   Additional Information: full citation, abstract, references, index terms

An email system is a critical business tool. However, as electronic business activity increases, ad-hoc email implementation, prolonged management neglect and user abuse of email systems have generated negative effects. Anticipating, managing and preventing

these negative effects has become increasingly important as organisations struggle to derive benefits from these systems. Many organisations try to control the negative effects of email through a combination of policies and electronic monitor ...

Keywords: control, electronic monitoring, email systems, monitoring software, negative effects

15 Shoring up persistent applications

Michael J. Carey, David J. DeWitt, Michael J. Franklin, Nancy E. Hall, Mark L. McAuliffe, Jeffrey F. Naughton, Daniel T. Schuh, Marvin H. Solomon, C. K. Tan, Odysseas G. Tsatalos, Seth J. White, Michael J. Zwilling
May 1994 **ACM SIGMOD Record , Proceedings of the 1994 ACM SIGMOD international conference on Management of data SIGMOD '94**, Volume 23 Issue 2
Publisher: ACM Press

Full text available: pdf(1.40 MB)   Additional Information: full citation, abstract, references, citings, index terms

SHORE (Scalable Heterogeneous Object REpository) is a persistent object system under development at the University of Wisconsin. SHORE represents a merger of object-oriented database and file system technologies. In this paper we give the goals and motivation for SHORE, and describe how SHORE provides features of both technologies. We also describe some novel aspects of the SHORE architecture, including a symmetric peer-to-peer server architecture, server customization through an extensible ...

16 The datacycle architecture for very high throughput database systems

Gary Herman, K. C. Lee, Abel Weinrib
December 1987 **ACM SIGMOD Record , Proceedings of the 1987 ACM SIGMOD international conference on Management of data SIGMOD '87**, Volume 16 Issue 3
Publisher: ACM Press

Full text available: pdf(1.00 MB)   Additional Information: full citation, abstract, references, citings, index terms

The evolutionary trend toward a database-driven public communications network has motivated research into database architectures capable of executing thousands of transactions per second. In this paper we introduce the Datacycle architecture, an attempt to exploit the enormous transmission bandwidth of optical systems to permit the implementation of high throughput multiprocessor database systems. The architecture has the potential for unlimited query throughput, simplified data man ...

17 Experience with processes and monitors in Mesa

Butler W. Lampson, David D. Redell
February 1980 **Communications of the ACM**, Volume 23 Issue 2
Publisher: ACM Press
Full text available: pdf(1.22 MB)   Additional Information: full citation, references, citings

Keywords: concurrency, condition, deadlock, module, monitor, operating system, process, synchronization, task, variable

18 Scientific data management in the coming decade

Jim Gray, David T. Liu, Maria Nieto-Santisteban, Alex Szalay, David J. DeWitt, Gerd Heber
December 2005 **ACM SIGMOD Record**, Volume 34 Issue 4
Publisher: ACM Press

Full text available: 📄 pdf(150.14 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>index terms</u>

Scientific instruments and computer simulations are creating vast data stores that require new scientific methods to analyze and organize the data. Data volumes are approximately doubling each year. Since these new instruments have extraordinary precision, the data quality is also rapidly improving. Analyzing this data to find the subtle effects missed by previous studies requires algorithms that can simultaneously deal with huge datasets and that can find very subtle effects --- finding both ne ...

19 <u>Database research at Bellcore</u>

September 1990 **ACM SIGMOD Record,** Volume 19 Issue 3
Publisher: ACM Press
Full text available: 📄 pdf(722.69 KB)   Additional Information: <u>full citation</u>

20 <u>Computation algorithms for FPGA: 64-bit floating-point FPGA matrix multiplication</u>

Yong Dou, S. Vassiliadis, G. K. Kuzmanov, G. N. Gaydadjiev
February 2005 **Proceedings of the 2005 ACM/SIGDA 13th international symposium on Field-programmable gate arrays**
Publisher: ACM Press
Full text available: 📄 pdf(532.78 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>

We introduce a 64-bit ANSI/IEEE Std 754-1985 floating point design of a hardware matrix multiplier optimized for FPGA implementations. A general block matrix multiplication algorithm, applicable for an arbitrary matrix size is proposed. The algorithm potentially enables optimum performance by exploiting the data locality and reusability incurred by the general matrix multiplication scheme and considering the limitations of the I/O bandwidth and the local storage volume. We implement a scalable I ...

Keywords: FPGA, floating-point, matrix multiplication

Results 1 - 20 of 22   Result page: **1**   <u>2</u>   <u>next</u>

P⊛RTAL
USPTO

Search: ⊙ The ACM Digital Library   ○ The Guide

+copy, +"storage volum", swap, source, target "cofirmation pa   **SEARCH**

♣ Feedback Report a problem Satisfaction survey

Terms used **copy** **storage**
volum **swap** **source** **target** **cofirmation** **panel** **confirmation**
display **confirmation** **screen** **confirmation windon**

Found **22** of **186,844**

Sort results by | relevance ▽ |
Display results | expanded form ▽ |

❤ Save results to a Binder
❓ Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 21 - 22 of 22   Result page: previous 1 **2**

Relevance scale ☐ ▫ ▪ ■ ■   ☐

21 A log file design for analyzing secondary storage occupancy

H. Pat Artis
September 1981 **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 1981 ACM SIGMETRICS conference on Measurement and modeling of computer systems SIGMETRICS '81**, Volume 10 Issue 3
Publisher: ACM Press
Full text available: 📄 pdf(491.98 KB)   Additional Information: full citation, abstract, references, index terms

A description of the design and implementation of a log file for analyzing the occupancy of secondary storage on IBM computer systems is discussed. Typical applications of the data contained in the log are also discussed.

22 PLEXUS—an on-line system for modeling neural networks

J. C. Dill, D. L. Randall, I. Richer
September 1968 **Communications of the ACM**, Volume 11 Issue 9
Publisher: ACM Press
Full text available: 📄 pdf(926.62 KB)   Additional Information: full citation, abstract, references, citings

A description is presented of PLEXUS, a system which enables a user to construct and specify a neural network, to analyze the output data produced by the network, and to store and retrieve networks and data from a library. The system, operated entirely from a digital display unit, interacts directly with the user and permits easy and rapid transitions between the various phases of the modeling process. PLEXUS is designed to complement neurophysiological research so that the systematic devel ...

Keywords: biological modeling, data analysis, discrete system simulation, library systems, modeling, network simulation, neural networks, neurophysiological models, on-line simulation, simulation

Results 21 - 22 of 22   Result page: previous 1 **2**

Useful downloads: 📄 Adobe Acrobat   ◎ QuickTime   ▦ Windows Media Player   ▶ Real Player

IEEE *Xplore* ©
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((copy, storage volumn, source, traget, swap<in>metadata) <and> ('cofirmation panel..."   ☑ e-mail

Your search matched 5 of 1416205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((copy, storage volumn, source, traget, swap<in>metadata) <and> ('cofirmation par   [**Search** ➤]

☐ Check to search only within this results set

» Key

Display Format: ⦿ Citation   ○ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

[**view selected items**]   Select All   Deselect All

☐   1.   **Hack-a-vote: Security issues with electronic voting systems**
Bannet, J.; Price, D.W.; Rudys, A.; Singer, J.; Wallach, D.S.;
Security & Privacy Magazine, IEEE
Volume 2, Issue 1, Jan.-Feb. 2004 Page(s):32 - 37
Digital Object Identifier 10.1109/MSECP.2004.1264851

AbstractPlus | References | Full Text: PDF(453 KB)   IEEE JNL
Rights and Permissions

☐   2.   **Groupanizer: a method to correlate multi-users position with daily moments**
Caron, J.O.; Kawahara, Y.; Morikawa, H.; Aoyama, T.;
Pervasive Computing and Communications Workshops. 2006. PerCom Workshops 2006. Fourth A
International Conference on
13-17 March 2006 Page(s):6 pp.
Digital Object Identifier 10.1109/PERCOMW.2006.61

AbstractPlus | Full Text: PDF(240 KB)   IEEE CNF
Rights and Permissions

☐   3.   **A location based wireless tourist guide**
Curran, K.; Smith, K.;
Consumer Communications and Networking Conference. 2006. CCNC 2006. 2006 3rd IEEE
Volume 2, 8-10 Jan. 2006 Page(s):813 - 817

AbstractPlus | Full Text: PDF(811 KB)   IEEE CNF
Rights and Permissions

☐   4.   **Using workflows to coordinate Web services in pervasive computing environments**
Ranganathan, A.; McFaddin, S.;
Web Services. 2004. Proceedings. IEEE International Conference on
6-9 July 2004 Page(s):288 - 295
Digital Object Identifier 10.1109/ICWS.2004.1314750

AbstractPlus | Full Text: PDF(413 KB)   IEEE CNF
Rights and Permissions

☐   5.   **A hybrid approach for user profiling**
Poo, D.; Chng, B.; Jie-Mein Goh;
System Sciences. 2003. Proceedings of the 36th Annual Hawaii International Conference on
6-9 Jan 2003 Page(s):9 pp.
Digital Object Identifier 10.1109/HICSS.2003.1174242

AbstractPlus | Full Text: PDF(470 KB)   IEEE CNF
Rights and Permissions

Indexed by
Inspec®

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1011	((confirm$7 or concur$7 or ensur$4) with (panel or window or screen or form or display or view or template) with (select$4 or choos$4)) and ((copy$4 or backup or restor$4) with (memory or storage))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/10/10 14:31
L2	89	((confirm$7 or concur$7 or ensur$4) with (panel or window or screen or form or display or view or template) with (select$4 or choos$4) with (swap$4 or switch$4 or exchang$4)) and ((copy$4 or backup or restor$4) with (memory or storage))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/10/10 14:33
L3	0	((confirm$7 or concur$7 or ensur$4) with (panel or window or screen or form or display or view or template) with (select$4 or choos$4) with (swap$4 or switch$4 or exchang$4) with source with target) and ((copy$4 or backup or restor$4) with (memory or storage))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/10/10 14:33

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1011	((confirm$7 or concur$7 or ensur$4) with (panel or window or screen or form or display or view or template) with (select$4 or choos$4)) and ((copy$4 or backup or restor$4) with (memory or storage))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/10/10 14:31
L2	89	((confirm$7 or concur$7 or ensur$4) with (panel or window or screen or form or display or view or template) with (select$4 or choos$4) with (swap$4 or switch$4 or exchang$4)) and ((copy$4 or backup or restor$4) with (memory or storage))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/10/10 14:33
L3	0	((confirm$7 or concur$7 or ensur$4) with (panel or window or screen or form or display or view or template) with (select$4 or choos$4) with (swap$4 or switch$4 or exchang$4) with source with target) and ((copy$4 or backup or restor$4) with (memory or storage))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/10/10 14:33